Jenkins Water System Contact: James Hopkins Jenkins, KY 41537 KY0670213

Phone:

(606) 832-4218

Manager: James Hopkins

Address:P.O. Box 689, Jenkins, KY 41537Meetings:Jenkins City Hall the 2nd Tuesday of each month at 7:00 PM

Your Source of water is surface water from Jenkins Lake. In order to maintain our water resource, a water assessment has been completed. This assessment is part of the Letcher County Water Supply Plan. An analysis of the susceptibility of the Jenkins water supply to contamination is generally moderate; however, there are a few areas of concern. Non-Point sources such as erosion due to mining, logging, sewer lines and roads (road salting) are the most prominent sources of contamination. Also, the new HWY 23 by-pass has left bare rock and soil which is subjet to erosion. Activities and land uses upstream of Jenkins source of water can pose potential risks to your drinking water. Under certain instances, contaminants could be released that would pose challenges to water treatment, or even get into your drinking water. These activities and how they are conducted, are of interest to the entire community because they potentially affect your health and the cost of treating water. The completed plan is available for inspection at Jenkins City Hall.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: M icrobial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local public water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in 10,000. Parts per billion (ppb) - or micrograms per liter, (µg/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in 10,000.000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000,000. Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow. Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

Spanish (Español) Este informe contiene información muy importante sobre la calidad de su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old. Copies of this report are available upon request by contacting our office during business hours.

To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

the MCL level for a metim	e to nave a	i one-in-a-miiii	on chance c	or naving t	ne a	escribed nea	ith effect.		
	All	lowable	Highest	t Single		Lowest	Violation		
	Levels		Measurement		1	Monthly %		Likely Source of Turbidity	
Turbidity (NTU) TT	No more	than 1 NTU*	0.068			100	No	Soil runoff	
* Representative samples	Less than	0.3 NTU in							
of filtered water	95% of m	onthly samples	s						
Regulated Contaminant	Test Resu	llts	Jenkins W	ater Syste	em		-		
Contaminant			Report	F	Ran	ge	Date of	Violation	Likely Source of
[code] (units)	MCL	MCLG	Level	of D)e te	ction	Sample		Contamination
Radioactive Contaminan	its	1	-					T	1
Beta photon emitters (pCi/L)	50	0	1.21	1.21	to	1.21	2017	No	Decay of natural and man- made deposits
Alpha emitters	15	0	1.28	1.28	to	1.28	2017	No	Erosion of natural deposits
Combined radium	5	0	1.436	1.436	to	1.436	2017	No	Erosion of natural deposits
(pCi/L)									
Uranium (µg/L)	30	0	0.193	0.193	to	0.193	2017	No	Erosion of natural deposits
Inorganic Contaminants									
Barium [1010] (ppm)	2	2	0.033	0.033	to	0.033	Jul-05	No	Drilling wastes; metal refineries; erosion of natural deposits
Copper [1022] (ppm) sites exceeding action level 0	AL = 1.3	1.3	0.18 (90 th percentile)	0.003	to	0.314	Aug-16	No	Corrosion of household plumbing systems
Lead [1030] (ppb) sites exceeding action level 0	AL = 15	0	3 (90 th percentile)	2	to	3	Aug-16	No	Corrosion of household plumbing systems
Nitrate [1040] (ppm)	10	10	0.37	0.37	to	0.37	2018	No	Fertilizer runoff; leaching from septic tanks, sewage; erosion of natural deposits
Selenium [1045] (ppb)	50	50	1	1	to	1	2018	No	Discharge from petroleum and metal refineries or mines; erosion of natural deposits
Synthetic Organic Cont	aminants	including Pe	sticides an	d Herbici	des				•
Benzo(a)pyrene(PAH) [2306] (ppt)	200	0	21	0	to	21	2018	No	Leaching from linings of water storage tanks and distribution lines
PCB's (Polychlorinated biphenyls) [2383] (ppt)	500	0	160	0	to	160	2018	No	Runoff from landfills; discharge of waste chemicals
Disinfectants/Disinfectio	n Bynrod	ucts and Prec	ursors						
	JF								
Total Organic Carbon (ppm	1) 		1.10						Naturally present in
(measured as ppm, but	TT*	N/A	(lowest	1	to	1.36	2018	No	environment.
reported as a ratio)			average)	(mon	thly	ratios)			
*Monthly ratio is the % TO	OC remova	l achieved to th	ne % TOC r	emoval rec	quire	ed. Annual a	verage must	be 1.00 or g	greater for compliance.
Chlorine	MRDL	MRDLG	1.30						Weter addition and the sector 1
(ppm)	= 4	= 4	(highest average)	1.1	to	1.55	2018	No	microbes.
HAA (ppb) (Stage 2) [Haloacetic acids]	60	N/A	55 (high site average)	16 (range of	to indi	71.8 vidual sites)	2018	No	Byproduct of drinking water disinfection
TTHM (ppb) (Stage 2) [total trihalomethanes]	80	N/A	49 (high site average)	17.7 (range of	to indi	68.5 vidual sites)	2018	No	Byproduct of drinking water disinfection.

Violation # 2018-9006657

Our water system recently violated a drinking water standard. Although this incident was not an emergency, as our customers, you have a right to know what happened and what we did (are doing) to correct this situation.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. During 04/01/2018 to 06/30/2018 we did not complete all monitoring by failing to report or correctly report testing for Haloacetic Acids. Therefore, we could not verify the quality of your drinking water to the primacy agency during that time.

For the Stage 2 DBPR requirements we monitor for trihalomethanes (THM) and haloacetic acids (HAA). The standard for THM is 0.080 mg/L and the standard for HAA is 0.060 mg/L.

A calculation of analytical results is part of an Operational Evaluation Level Report (OEL) to determine the potential of exceeding these standards. The operational evaluation requirements are intended as an indicator of operational performance and to allow systems to identify proactive steps to remain in compliance. Failure to submit an evaluation report to the State in the required time frame is a violation and requires a public notification. The OEL report was not submitted due to an illness in management and currently OEL reports have been submitted.

We failed to submit an OEL for the period 04/01/2018 to 06/30/2018. There is nothing you need to do. We have since submitted the OEL report.

For more information, please contact James Hopkins at 606-832-4218 or P.O. Box 689, Jenkins, KY 41537

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

Violation # 2018-9006656

Our water system violated a drinking water standard. Although this incident was not an emergency, as our customers, you have a right to know what happened and what we did (are doing) to correct this situation.

For the Stage 2 DBPR requirements we monitor for trihalomethanes (THM) and haloacetic acids (HAA). The standard for THM is 0.080 mg/L and the standard for HAA is 0.060 mg/L.

A calculation of analytical results is part of an Operational Evaluation Level Report (OEL) to determine the potential of exceeding these standards. The operational evaluation requirements are intended as an indicator of operational performance and to allow systems to identify proactive steps to remain in compliance. Failure to submit an evaluation report to the State in the required time frame is a violation and requires a public notification. The OEL report was not submitted due to an illness in management and currently OEL reports have been submitted.

We failed to produce and submit a Public Notification for violation 2015-9006642. We will be submitting a Public Notification and submit to the Division of Water.

For more information, please contact James Hopkins at 606-832-4218 or P.O. Box 689, Jenkins, KY 41537

Violation # 2018-9006647

Our water system recently violated a drinking water standard. Although this incident was not an emergency, as our customers, you have a right to know what happened and what we did (are doing) to correct this situation.

We routinely monitor for the presence of drinking water contaminants. Testing results from 7-1-15 through 9-30-15 show that our system exceeds the standard, or maximum contaminant level (MCL), for haloacetic acids. The standard for haloacetic acids is 0.060 mg/L. It is determined by averaging all samples at each sampling location for the last 12 months. The level of haloacetic acids averaged at one of our system's locations for 7-1-15 through 9-30-15 was 0.64 mg/L.

- There is nothing you need to do. You do not need to boil your water or take other corrective actions. If a situation arises where the water is no longer safe to drink, you will be notified within 24 hours.
- If you have a severely compromised immune system, have an infant, are pregnant, or are elderly, you may be at increased risk and should seek advice from your health care providers about drinking this water.

This is not an emergency. If it had been an emergency, you would have been notified within 24 hours.

Some people who drink water containing haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.

We are working to minimize the formation of haloacetic acids while ensuring we maintain an adequate level of disinfectant. We have taken additional steps to change disinfectant types/levels, remove natural organic matter, and increased flushing of water lines to determine if our efforts have been effective. We are also monitoring water storage tank levels and water flow patterns within the distribution system. We are currently in compliance with haloacetic acids.

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.