Whitley County Water District Water Quality Report 2020

Water System ID: KY1180468 Manager: Sandy Smith (606) 549-3600 CCR Contact: Sandy Smith (606) 549-3600

Mailing Address: 19 US Hwy 25W S Williamsburg, KY 40769 Meeting location and time: 19 US Hwy 25W S 4th Thursdays at 1:00 PM

Whitley County Water District purchases water from Corbin, Williamsburg, and Jellico, TN. Corbin treats surface water from Laurel River Lake, Williamsburg treats surface water from the Cumberland River, and Jellico treats groundwater from wells drilled into the Pennsylvanian Sandstone Aquifer. Water from each of these suppliers has the potential to mix within our distribution system. Each of these suppliers has conducted an analysis of susceptibility to contamination and the overall susceptibility is generally moderate. Areas of high concern for the water sources include transportation corridors, underground storage tanks, agricultural land use, and waste generators. The complete Source Water Assessment Plans for Corbin and Williamsburg are available for review at the respective water producers or Area Development District offices. Information on the source water for Jellico can be found in the Tennessee Source Water Assessment Report available from Tennessee Department of Environment and Conservation.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Information About Lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local public water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) - or micrograms per liter, (µg/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000,000.

Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow.

Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

Spanish (Español) Este informe contiene información muy importante sobre la calidad de su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old. Copies of this report are available upon request by contacting our office during business hours.

| Regulated Contamina | nt Test R | esults Co | orbir | ı(C) Jel | lico (J) | W | illiamsbu | rg (W) | | |
|--------------------------------|-------------|---------------|--------|--------------|--------------------|---------|--------------|-------------------|---------------|--|
| Contaminant | | | rce | Report | Range of Detection | | | Date of Sample | Violation | Likely Source of |
| [code] (units) | MCL | MCLG | Source | Level | | | | | | Contamination |
| Radioactive Contamir | ants | | | | | | | | | |
| Alpha emitters | 15 | 0 | | | | to | | | | |
| [4000] (pCi/L) | | | J= | 3 | 3 | to | 3 | 2017 | No | Erosion of natural deposits |
| | | | C= | | | to | | | | |
| Inorganic Contamina | ıts | | | | | | | | | |
| Barium | | | C= | 0.017 | 0.017 | to | 0.017 | 2020 | No | D ''' |
| [1010] (ppm) | 2 | 2 | | | | | | | | Drilling wastes; metal refineries; erosion of natural deposits |
| | | | W= | 0.025 | 0.025 | to | 0.025 | 2020 | No | crosion of natural acposits |
| Fluoride | | | C= | 0.82 | 0.82 | to | 0.82 | 2020 | No | |
| [1025] (ppm) | 4 | 4 | J= | 0.567 | 0.44 | to | 0.7 | 2020 | No | Water additive which promotes strong teeth |
| | | | W= | 0.8 | 0.8 | to | 0.8 | 2020 | No | strong teeth |
| Nitrate | | | C= | 0.27 | 0.27 | to | 0.27 | 2020 | No | Fertilizer runoff; leaching from |
| 1040] (ppm) | 10 | 10 | | | | | | | | septic tanks, sewage; erosion of |
| | | | W= | 0.282 | 0.282 | to | 0.282 | 2020 | No | natural deposits |
| Disinfectants/Disinfec | tion Byp | roducts a | nd Pı | recursor | s | | | | | |
| Total Organic Carbon (ppm) | | | C= | 1.45 | 1.1 | to | 2.9 | 2020 | No | |
| (report level=lowest avg. | TT* | N/A | | | | | | | | Naturally present in environment. |
| range of monthly ratios) | | | W= | 1.44 | 1.1 | to | 2.42 | 2020 | No | |
| *Monthly ratio is the % TOC r | emoval achi | eved to the % | TOC | removal requ | ıired. Anr | nual av | erage must b | e 1.00 or great | er for compli | ance. |
| Other Constituents | | | | _ | | | _ | | _ | |
| Turbidity (NTU) TT | Alle | owable | eo. | Highest S | ingle | | Lowest | Violation | | |
| * Representative samples | Le | evels | Source | Measuren | nent | | Monthly % | | | Likely Source of Turbidity |
| Turbidity is a measure of the | No more th | an 1 NTU* | C= | (| 0.27 | | 100 | No | | |
| clarity of the water and not a | Less than (| 0.3 NTU in | | | | | | | | Soil runoff |
| contaminant. | 95% month | ly samples | w= | 0 | 0.077 | | 100 | No | | |

| Regulated Contamina | nt Test R | esults | Whitley Co | unty W | ater | District | | | |
|------------------------------|-----------|--------|-------------------|--------------|--------|--------------|-----------|------------------|--|
| Contaminant | | | Report | Range | | Date of | Violation | Likely Source of | |
| [code] (units) | MCL | MCLG | Level | of Detection | | | Sample | | Contamination |
| Chlorine | MRDL | MRDLG | 1.53 | | | | | | Water additive used to control |
| (ppm) | = 4 | = 4 | (highest | 0.31 | to | 2.1 | 2020 | No | microbes. |
| | | | average) | | | | | | inero ocs. |
| HAA (ppb) (Stage 2) | | | 74 | | | | | | Dryana dryat a f daimlein a vyatan |
| [Haloacetic acids] | 60 | N/A | (high site | 8 | to | 138 | 2020 | YES | Byproduct of drinking water disinfection |
| | | | average) | (range o | findiv | idual sites) | | | |
| TTHM (ppb) (Stage 2) | | | 84 | | | | | | Byproduct of drinking water |
| [total trihalomethanes] | 80 | N/A | (high site | 19 | to | 124 | 2020 | YES | disinfection. |
| | | | average) | (range o | findiv | idual sites) | | | |
| Household Plumbing | Contami | nants | | | | | | | |
| Copper [1022] (ppm) | AL= | | 0.234 | | | | | | Cif111111 |
| sites exceeding action level | 1.3 | 1.3 | (90 th | 0.0048 | to | 0.622 | Jun-20 | No | Corrosion of household plumbing systems |
| 0 | | | percentile) | | | | | | , |
| Lead [1030] (ppb) | AL= | | 0 | | | | | | Compaign of howeshald a breaking |
| sites exceeding action level | 15 | 0 | (90 th | 0 | to | 4 | Jun-20 | No | Corrosion of household plumbing systems |
| 0 | | | percentile) | | | | | | Ť |

2021-9427311

Testing results from 7/1/2020 to 9/30/2020 show that our system exceeds the standard, or maximum contaminant level (MCL), for haloacetic acids (HAA). The standard for HAA is 0.060 mg/L. It is determined by averaging all samples collected at each sampling location for the last 12 months. The level of HAA averaged at one of our system's locations for 7/1/2020 to 9/30/2020 was 0.074 mg/L.

2021-9427312

Testing results from 7/1/2020 to 9/30/2020 show that our system exceeds the standard, or maximum contaminant level (MCL), for trihalomethanes (THM). The standard for THM is 0.080 mg/L. It is determined by averaging all samples collected at each sampling location for the last 12 months. The level of THM averaged at one of our system's locations for 7/1/2020 to 9/30/2020 was 0.084 mg/L.

2021-9427314

Testing results from 10/1/2020 to 12/31/2020 show that our system exceeds the standard, or maximum contaminant level (MCL), for haloacetic acids (HAA). The standard for HAA is 0.060 mg/L. It is determined by averaging all samples collected at each sampling location for the last 12 months. The level of HAA averaged at one of our system's locations for 10/1/2020 to 12/31/2020 was 0.070 mg/L.

Whitley County Water District 92West Water Quality Report 2020

Water System ID: KY1183728 Manager: Sandy Smith (606) 549-3600 CCR Contact: Sandy Smith (606) 549-3600

Mailing Address: 19 US Hwy 25W S Williamsburg, KY 40769 Meeting location and time: 19 US Hwy 25W S 4th Thursdays at 1:00 PM

Whitley County Water District 92 West purchases water from McCreary County Water District which treats surface water from Lake Cumberland and Laurel Creek Reservoir. An analysis of the overall susceptibility to contamination indicated that this susceptibility is generally low. Within the critical protection area of the Lake Cumberland intake there are three potential sources of contamination that are ranked high. Areas of concern include forest and woodland cover, one major roadway and power lines with potential herbicide usage. Within the critical protection area of the Laurel Creek intake there are eighteen potential sources of contamination that are ranked high. Area of concern includes a railroad, row crops, underground storage tanks; KPDES permitted discharges, mining, and waste generators or transporters. This is a summary of the system's susceptibility to contamination, which is a part of the completed Source Water Assessment Plan (SWAP). The completed plan is available for inspection at the McCreary County Water District Office located on U.S. 27, in Whitley City.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Information About Lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local public water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) - or micrograms per liter, (µg/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000,000.

Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow.

Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

Spanish (Español) Este informe contiene información muy importante sobre la calidad de su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old. Copies of this report are available upon request by contacting our office during business hours.

| Regulated Contamina | nt Test R | esults N | 1cCı | reary Pla | nt A (A |) M | IcCreary 1 | Plant B (B |) | |
|---|-------------|---------------|--------|--------------|--------------|---------|---------------|-----------------|---------------|---|
| Contaminant | | | Source | Report | | Rang | ge | Date of | Violation | Likely Source of |
| [code] (units) | MCL | MCLG | Sou | Level | of Detection | | Sample | | Contamination | |
| Radioactive Contamin | nants | | | | | | | | | |
| Combined radium | 5 | 0 | A= | 1.6 | 1.6 | to | 1.6 | 2019 | No | |
| (pCi/L) | | | | | | | | | | Erosion of natural deposits |
| Inorganic Contamina | nts | | | | | | | | | |
| Barium | | | A= | 0.016 | 0.016 | to | 0.016 | 2020 | No | D.30. |
| [1010] (ppm) | 2 | 2 | B= | 0.013 | 0.013 | to | 0.013 | 2020 | No | Drilling wastes; metal refineries; erosion of natural deposits |
| Fluoride | | | A= | 0.69 | 0.69 | to | 0.69 | 2020 | No | W |
| [1025] (ppm) | 4 | 4 | В= | 0.77 | 0.77 | to | 0.77 | 2020 | No | Water additive which promotes strong teeth |
| Mercury | | | A= | 0.1 | 0 | to | 0.1 | 2020 | No | Erosion of natural deposits; |
| [1035] (ppb) | 2 | 2 | | | | | | | | refineries and factories; landfills; runoff from cropland |
| Nitrate | | | | | | | | | | Fertilizer runoff; leaching from |
| [1040] (ppm) | 10 | 10 | B= | 0.2 | 0.2 | to | 0.2 | 2020 | No | septic tanks, sewage; erosion of natural deposits |
| Disinfectants/Disinfec | tion Byp | roducts a | nd P | recursors | s | | | | | • |
| Total Organic Carbon (ppm) | | | A= | 1.35 | 1.36 | to | 3.1 | 2020 | No | |
| (report level=lowest avg. | TT* | N/A | B= | 1.28 | 1.04 | to | 1.9 | 2020 | No | Naturally present in environment. |
| range of monthly ratios) | | | | | | | | | | |
| *Monthly ratio is the % TOC r | emoval achi | eved to the % | TOC | removal requ | ired. Anr | nual av | erage must be | e 1.00 or great | er for compli | ance. |
| Other Constituents | | | | | | | | | | |
| Turbidity (NTU) TT | Alle | owable | Source | Highest S | ingle | | Lowest | Violation | | |
| * Representative samples | L | evels | So | Measuren | ment | | Monthly % | | | Likely Source of Turbidity |
| Turbidity is a measure of the | No more th | an 1 NTU* | A= | 0 | .125 | | 100 | | | <u> </u> |
| clarity of the water and not a contaminant. | Less than (| 0.3 NTU in | B= | 0 | .121 | | 100 | No | | Soil runoff |
| | 95% month | ly samples | | | | | | | | |

| Regulated Contamina | nt Test R | esults | Whitley Co. Water District 92 West | | | | | | | | |
|------------------------------|-----------|--------|------------------------------------|--------------|---------|-------------|-----------|------------------|---|--|--|
| Contaminant | | Report | | Rang | e | Date of | Violation | Likely Source of | | | |
| [code] (units) | MCL | MCLG | Level | of Detection | | Sample | | Contamination | | | |
| Microbiological Cont | ami nants | 8 | | | | | | | | | |
| Chlorine | MRDL | MRDLG | 1.35 | | | | | | Water additive used to control | | |
| (ppm) | = 4 | = 4 | (highest | 0.74 | to | 1.78 | 2020 | No | microbes. | | |
| | | | average) | | | | | | | | |
| HAA (ppb) (Stage 2) | | | 55 | | | | | | D | | |
| [Haloacetic acids] | 60 | N/A | (high site | 12 | to | 97 | 2020 | No | Byproduct of drinking water disinfection | | |
| | | | average) | (range of | findivi | dual sites) | | | | | |
| TTHM (ppb) (Stage 2) | | | 63 | | | | | | Decrees done to a Calmination or constant | | |
| [total trihalomethanes] | 80 | N/A | (high site | 16 | to | 82 | 2020 | No | Byproduct of drinking water disinfection. | | |
| | | | average) | (range of | findivi | dual sites) | | | | | |
| Household Plumbing | Contami | nants | | | | | | | | | |
| Copper [1022] (ppm) | AL= | | 0.08885 | | | | | | C | | |
| sites exceeding action level | 1.3 | 1.3 | (90 th | 0.005 | to | 0.111 | Aug-19 | No | Corrosion of household plumbing systems | | |
| 0 | | | percentile) | | | | | | -, | | |

Violation 2021-11

Our August 2020 Monthly Operating Report that we submitted to the Division of Water we failed to maintain a free chlorine residual above .2 mg/L on 8/5/2020. A Boil Water Advisory was issued for the system on 8/5/2020 and began a rigorous flushing program throughout the system. On 8/6/2020 our chlorine residuals rose to acceptbale levels and the Boil Water Advisory was lifted on 8/12/2020.