### Cawood Water District Water Quality Report 2023

Water System ID: KY0480565 Manager: Ronnie Williams CCR Contact: Charles Tomlin Phone: 606-573-3744 Mailing Address: P.O. Box 429, Cawood, KY 40815 Meeting Location and Time: Cawood Office - Second Tuesday each month at 6:30 PM

### **Source Information:**

The source of water for the Cawood Water Treatment Plant is surface water from the Martins Fork River. A Source Water Assessment Plan has been developed to determine the susceptibility of the Cawoood water supply. This analysis indicates that the susceptibility to contamination is generally moderate. The potential sources of contamination include transportation corridors, mine sites, dump sites, waste storage sites, septic systems, and straight pipes. Activities and land uses upstream of the intake can pose potential risks to your drinking water and increase the cost of treatment. The complete Source Water Assessment Plan is available for review at the Cawood Water District Office.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

### **Information About Lead:**

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local water system is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact your local water system. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead.

#### Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG)** - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) - or micrograms per liter, (µg/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000.

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000,000.

Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow.

Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

Spanish (Español) Este informe contiene información muy importante sobre la calidad de su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

To request a paper copy call (606) 573-3744.

## To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old. **Copies of this report are available upon request by contacting our office during business hours.** 

<b>Regulated</b> Contamina	nt Test R	esults	Cawood W	ater Di	stri	et				
Contaminant			Report				Date of		Likely Source of	
[code] (units)	MCL	MCLG	Level	of Detection		Sample	Violation	Contamination		
Inorganic Contamina	nts									
Fluoride									W. (	
[1025] (ppm)	4	4	0.60	0.6	to	0.6	May-23	No	Water additive which promotes strong teeth	
Nitrate									Fertilizer runoff; leaching from	
[1040] (ppm)	10	10	0.44	0.44	to	0.44	Sep-23	No	septic tanks, sewage; erosion of natural deposits	
Disinfectants/Disinfec	tion Byp	roducts and	Precursors							
Total Organic Carbon (ppm)			1.07							
(measured as ppm, but	TT*	N/A	(lowest	1.00	to	1.86	2023	No	Naturally present in environment.	
reported as a ratio)			average)	(m	onthl	y ratios)				
*Monthly ratio is the % TOC 1	emoval achi	eved to the % T	OC removal requi	ired. Annu	ıal av	erage must be	1.00 or greater	for compliar	ice.	
Chlorine	MRDL	MRDLG	1.80						Water additive used to control microbes.	
(ppm)	=4	= 4	(highest	1.02	to	2.06	2023	No		
			average)							
HAA (ppb) (Stage 2)			45						Byproduct of drinking water disinfection	
[Haloacetic acids]	60	N/A	(high site	11	to	53	2023	No		
			average)	(range o	of ind	ividual sites)				
TTHM (ppb) (Stage 2)			37						Byproduct of drinking water	
[total trihalomethanes]	80	N/A	(high site	7.7	to	48.3	2023	No	disinfection.	
			average)	(range o	of ind	ividual sites)				
Household Plumbing	<u>Contami</u>	nants	1	r			1	1	1	
Copper [1022] (ppm) Round 1	AL=		0						Corrosion of household plumbing	
sites exceeding action level	1.3	1.3	(90 <sup>th</sup>	0	to	0	Sep-23		systems	
0			percentile)							
Lead [1030] (ppb) Round 1	AL=		0						Corrosion of household plumbing	
sites exceeding action level	15	0	(90 <sup>th</sup>	0	to	0	Sep-23		systems	
$\frac{0}{2}$			percentile)							
Other Constituents			<b>111</b> 1 1 1 1 1			<b>.</b> .	x71 x	1		
Turbidity (NTU) TT	Allowable		Highest Single		Lowest	Violation	L'hala Garrier e CTarle Para			
* Representative samples Turbidity is a measure of the		Levels	Measuremen			Monthly %		Likely S	ource of Turbidity	
clarity of the water and not a	No more th		0.27		100	No				
contaminant.	Less than (		0.27			100	No	Soil runoff		
	95% of mo	nthly samples								
Elucation (added for the	tal haal41-)		Average	T È	<i>,</i>	Detection				
Fluoride (added for den	/	)	0.8	0.64	to	1.13				
Sodium (EPA guidance level = 20 mg/L)			8.9	8.88	to	8.88	]			

Secondary contaminants do not have a direct impact on the health of consumers. They are being included to provide additional information about the quality of the water.

Secondary Contaminant		Report	Ra	Date of	
Secondary Containinant	Maximum Allowable Level	Level	of Det	ection	Sample
Aluminum	0.05 to 0.2 mg/l	0.066	0.066 to	0.066	Mar-23
Chloride	250 mg/l	6.7	6.7 to	6.7	Mar-23
Corrosivity	Noncorrosive	-2.35	-2.35 to	-2.35	Mar-23
Fluoride	2.0 mg/l	0.83	0.83 to	0.83	Mar-23
Manganese	0.05 mg/l	0.032	0.032 to	0.032	Mar-23
pН	6.5 to 8.5	7.01	7.01 to	7.01	Mar-23
Sulfate	250 mg/l	33.5	33.5 to	33.5	Mar-23
Total Dissolved Solids	500 mg/l	110	110 to	110	Mar-23

### Cawood Water District - Pathfork Water Quality Report 2023

Water System ID: KY0483727 Manager: Ronnie Williams CCR Contact: Charles Tomlin Phone: 606-573-3744 Mailing Address: P.O. Box 429, Cawood, KY 40815 Meeting Location and Time: Cawood office - Second Tuesday each month at 6:30 PM

### **Source Information:**

Cawood Water District purchases water for the Pathfork area from Pineville. Pineville treats surface water from the Cannon Creek Lake located in Bell County. A Source Water Assessment and Protection Plan for Pineville Water System indicates that our source is moderately susceptible to contamination. The largest potential contaminant to Pineville's source water is the forested land coverings in the watershed which could be subject to logging. Logging could result in soil erosion if required Best Management Practices are not carefully applied. Erosion could contribute silts and clays and natural organics to the source waters. The completed Source Water Assessment and Protection Plan is available for viewing during normal business hours at the Pineville Water System office.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

### **Information About Lead:**

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local water system is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact your local water system. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead.

### Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) - or micrograms per liter, (µg/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000.

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000.

Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow.

Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

Spanish (Español) Este informe contiene información muy importante sobre la calidad de su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

To request a paper copy call (606) 573-3744.

# To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old. **Copies of this report are available upon request by contacting our office during business hours.** 

Regulated Contaminant Test Results Cawood Water District- Pathfork										
Contaminant			Report	Range of Detection		Date of		Likely Source of		
[code] (units)	MCL	MCLG	Level			Sample	Violation	Contamination		
Disinfectants/Disinfec	tion Byp	roducts and	Precursors							
Chlorine	MRDL	MRDLG	1.54						Water additive used to control microbes.	
(ppm)	= 4	= 4	(highest	1.1 t	to	1.75	2023	No		
			average)							
HAA (ppb) (Stage 2)			46						Byproduct of drinking water disinfection	
[Haloacetic acids]	60	N/A	(high site	15 t	to	51	2023	No		
			average)	(range of i	ndivid	lual sites)				
TTHM (ppb) (Stage 2)			37						Byproduct of drinking water disinfection.	
[total trihalomethanes]	80	N/A	(high site	8.2 t	to	50.9	2023	No		
			average)	(range of individual sites)						
Household Plumbing	Contami	nants							•	
Copper [1022] (ppm) Round 1	AL=		0.0011							
sites exceeding action level	1.3	1.3	(90 <sup>th</sup>	0.001 t	to	0.0011	Jul-21	No	Corrosion of household plumbing systems	
0			percentile)						s journe	

Regulated Contaminant Test Results Pineville Water System									
Contaminant			Report	Range		Date of		Likely Source of	
[code] (units)	MCL	MCLG	Level	of Detection		ction Sample Viola		Violation	Contamination
Inorganic Contaminants									
Barium									Drilling wastes; metal refineries;
[1010] (ppm)	2	2	0.009	0.009	to	0.009	Apr-23	No	erosion of natural deposits
Fluoride									
[1025] (ppm)	4	4	0.90	0.9	to	0.9	Apr-23	No	Water additive which promotes strong teeth
Disinfectants/Disinfection Byproducts and Precursors									
Total Organic Carbon (ppm)			1.02						
(measured as ppm, but	TT*	N/A	(lowest	1.00	to	1.32	2023	No	Naturally present in environment.
reported as a ratio)			average)	(mo	onthly	ratios)			
*Monthly ratio is the % TOC removal achieved to the % TOC removal required. Annual average must be 1.00 or greater for compliance.									
Other Constituents			-						
Turbidity (NTU) TT	Al	lowable	Highest Single			Lowest	Violation		
* Representative samples	I	Levels	Measurement	t Monthly %			Likely Source of Turbidity		
Turbidity is a measure of the	No more th	an 1 NTU*							
clarity of the water and not a contaminant.	Less than 0	s than 0.3 NTU in 0.192			100	No	Soil runoff		
	95% of monthly samples								