The Western Fleming Water District Water Quality Report 2023

Water System ID: KY0910675 Manager: Doug Mitchell (859) 289-4556 CCR Contact: Doug Mitchell (859) 289-4556

Mailing Address: PO Box 16 Ewing, KY 41039

Meeting location and time: 1500 Ewing Road Third Thurs Monthly at 8:30AM

This report is designed to inform the public about the quality of water and services provided on a daily basis. Our commitment is to provide a safe, clean, and reliable supply of drinking water. We want to assure that we will continue to monitor, improve, and protect the water system and deliver a high quality product.

Western Fleming Water District treats surface water from the Licking River. An analysis of the susceptibility of the Western Fleming Water District's raw water supply to contamination indicates that the susceptibility potential is generally high. There are several areas of high concern near the raw water withdrawal site. These sites of high concern include: bridges and culverts where accidental spills of chemicals and petroleum products can occur and be washed into the source water, row crops (land cover) where, a railroad, segments of Stony Creek (mile points 0.0 - 3.0) and major roads where accidents can occur that result in toxic materials running off into the source water. Other sites of potential concern outside of the critical area include: bridges and culverts, one site where hazardous chemicals are used and sites where waste is generated or transported. The complete Source Water Assessment Plan is available for review during normal business hours at Western Fleming Water District.

Water Purchased from Greater Fleming serves Energy Rd, Craintown Rd, and Martha's Mill Rd area. The Greater Fleming County Regional Water Commission uses groundwater supplied by three wells located in northwestern Lewis County. These wells are constructed in the Ohio River Alluvium. The aquifer has an overall susceptibility ranking of medium. A contaminant source inventory of the area was completed and turned up eleven potential sources of contamination. Of these, five were unused wells formerly used as home water sources or for watering livestock. Two potential sources of great concern are a railroad which runs through the WHPA and a nitrate source which has been attributed to what was once a fertilizer storage area. Land use also plays a role in susceptibility. Within the WHPA there are approximately 224 acres of agricultural land and 580 acres of unmanaged woodland. The complete source water assessment is available at the GFCRWC Office.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects may be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and may pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include: Microbial contaminants, such as viruses and bacteria, (sewage plants, septic systems, livestock operations, or wildlife). Inorganic contaminants, such as salts and metals, (naturally occurring or from stormwater runoff, wastewater discharges, oil and gas production, mining, or farming). Pesticides and herbicides, (stormwater runoff, agriculture or residential uses). Organic chemical contaminants, including synthetic and volatile organic chemicals, (by-products of industrial processes and petroleum production, or from gas stations, stormwater runoff, or septic systems). Radioactive contaminants, (naturally occurring or from oil and gas production or mining activities). In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water to provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Information About Lead:

Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Your local water system is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact your local water system. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at http://www.epa.gov/safewater/lead.

Spanish (Español) Este informe contiene información muy importante sobre la calidad de su agua beber. Tradúzcalo o hable con alguien que lo entienda bien.

Some or all of these definitions may be found in this report:

Maximum Contaminant Level (MCL) - the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - the highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Below Detection Levels (BDL) - laboratory analysis indicates that the contaminant is not present.

Not Applicable (N/A) - does not apply.

Parts per million (ppm) - or milligrams per liter, (mg/l). One part per million corresponds to one minute in two years or a single penny in \$10,000. Parts per billion (ppb) - or micrograms per liter, (μ g/L). One part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Parts per trillion (ppt) - one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in \$10,000,000,000

Parts per quadrillion (ppq) - one part per quadrillion corresponds to one minute in 2,000,000,000 years or one penny in \$10,000,000,000,000.

Picocuries per liter (pCi/L) - a measure of the radioactivity in water.

Millirems per year (mrem/yr) - measure of radiation absorbed by the body.

Million Fibers per Liter (MFL) - a measure of the presence of asbestos fibers that are longer than 10 micrometers.

Nephelometric Turbidity Unit (NTU) - a measure of the clarity of water. Turbidity has no health effects. However, turbidity can provide a medium for microbial growth. Turbidity is monitored because it is a good indicator of the effectiveness of the filtration system.

Variances & Exemptions (V&E) - State or EPA permission not to meet an MCL or a treatment technique under certain conditions.

Action Level (AL) - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system shall follow. Treatment Technique (TT) - a required process intended to reduce the level of a contaminant in drinking water.

The data presented in this report are from the most recent testing done in accordance with administrative regulations in 401 KAR Chapter 8. As authorized and approved by EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year. Some of the data in this table, though representative, may be more than one year old.

To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Regulated Contaminant Testing Results from Greater Fleming County Water Commission:

Regulated Contaminant Test Results - Greater Fleming Regional Water Commission												
Contaminant			Report	Range	Date of		Likely Source of					
[code] (units)	MCL	MCLG	Level	of Detection	Sample	Violation	Contamination					
Inorganic Contaminant	S											
Fluoride [1025] (ppm)	4	4	0.65	0.64 to 0.6	55 Apr-23	No	Water additive which promotes strong teeth					
Nitrate [1040] (ppm)	10	10	1.54	1.54 to 1.5	54 Apr-23	No	Fertilizer runoff; leaching from septic tanks, sewage; erosion of natural deposits					



Regulated Contaminant Testing Results for Western Fleming Water District:

Regulated Contamin			Western Fl						
Contaminant			Report		Rar		Date of		Likely Source of
[code] (units)	MCL	MCLG	Level	Ι.		ection	Sample	Violation	
Inorganic Contaminan		eze	20,61		<u> </u>		Sumple	, 101111011	
Barium									
[1010] (ppm)	2	2	0.018	0.018	to	0.018	Jun-23	No	Drilling wastes; metal refineries; erosion of natural deposits
Fluoride									
[1025] (ppm)	4	4	0.43	0.43	to	0.43	Jun-23	No	Water additive which promotes strong teeth
Nitrate [1040] (ppm)	10	10	0.228	0.228	to	0.228	Feb-23	No	Fertilizer runoff; leaching from septic tanks, sewage; erosion of natural deposits
Disinfectants/Disinfect	ion Bypro	ducts and Pr	ecursors						•
Total Organic Carbon (ppm)			1.47						
(measured as ppm, but	TT*	N/A	(lowest	1.16	to	2.10	2023	No	Naturally present in environment.
reported as a ratio)			average)	(n	nonthl	y ratios)			
*Monthly ratio is the % TOC rer	noval achieve	ed to the % TOC re	<u> </u>		-	, , , , , , , , , , , , , , , , , , ,	or greater for con	mpliance.	•
Chlorine	MRDL	MRDLG	1.46					Î	
(ppm)	= 4	= 4	(highest average)	0.57	to	2.11	2023	No	Water additive used to control microbes.
HAA (ppb) (Stage 2)			36						
[Haloacetic acids]	60	N/A	(high site	5	to	56	2023	No	Byproduct of drinking water
[Haroacette acias]		1771	average)			ividual sites)	2023	1.0	disinfection
TTHM (ppb) (Stage 2)			47	(range	or mai	ividual sites)			
[total trihalomethanes]	80	N/A	(high site	14	to	81	2023	No	Byproduct of drinking water
[total timalomethanes]	80	IV/A	average)			ividual sites)	2023	110	disinfection.
Household Plumbing C	 antaming	nts	average)	(range	or mai	ividuai sites)			
Copper [1022] (ppm) Round 1	AL=	ints	0.208						
sites exceeding action level	1.3	1.3	(90 th	0.013	to	0.266	Jul-23	No	Corrosion of household plumbing
-	1.5	1.5	`	0.013	ιο	0.200	Jui-23	110	systems
0			percentile)						
Lead [1030] (ppb) Round 1	AL =		2 (90 th					NI.	Corrosion of household plumbing
sites exceeding action level	15	0	`	0	to	3	Jul-23	No	systems
0			percentile)						
Other Constituents	1								
Turbidity (NTU) TT	Allowable		Highest Single		Lowest	Violation			
* Representative samples Turbidity is a measure of the			Measurement	Measurement		Monthly %		Likely Source of Turbidity	
clarity of the water and not a	No more that						3.7	Soil runoff	
contaminant.	Less than 0.3 NTU in		0.055	5		100	No		
	95% of mo	nthly samples							
			Average	1	Ran	ge of Detecti	ion		
Fluoride (added for der	ntal healt	h)	0.9		0.54	to 1.	.07		
Sodium (EPA guidance leve	el = 20 mg/I	۲)	7.7		7.68	to 7.	.68		1
Secondary Contaminant			Report		Ran		Date of		condary contaminants not have a direct
		Allowable Level	Level		f Dete		Sample	im	pact on the health of
Chloride		50 mg/l	16.5	16.5	to	16.5	Feb-23		nsumers. They are
Copper		.0 mg/l	0.169	0.169	to	0.169	Feb-23	l l	ing included to
Corrosivity	Noncorrosive		-1.23	-1.23	to	-1.23	Feb-23		ovide additional
Fluoride	2.0 mg/l		0.85	0.85	to	0.85	Feb-23	_	formation about the
Odor	3 threshold odor number		2	2	to	2	Feb-23		ality of the water.
pH		5 to 8.5	7.53	7.53	to	7.53	Feb-23	qu	ancy of the water.
Sulfate		50 mg/l	14.5	14.5	to	14.5	Feb-23		
Total Dissolved Solids	50	00 mg/l	123	123	to	123	Feb-23		

to

0.35

Feb-23

0.35

0.35

5 mg/l

Zinc